

Visit Card Application

Bathurst Campus

Applicant's D	etails
---------------	--------

Given Name:	Family Name:
Home Address:	
Date of Birth:	Telephone:
Email Address:	
Postal Address (if different to above):	
5 Visit Pass	10 Visit Pass
Office use only:	



In case of emergency contact:			
Name:			
Relationship:		Best Contact Number:	
Membership details:			
O months.			
3 months:	6 months		12 months:
Start of Membership:	6 months	Membership Expiry:	12 months:

Conditions of Membership

These conditions relate to the operation and function of the Charles Sturt University Bathurst gym. Failure to comply with these conditions may result in termination of membership.

Conduct

- Members must swipe their access card every time when entering the gym.
- Members must always bring a towel to the gym.
- Members must wipe down the equipment with either a towel or a disinfectant wipe provided.
- Enclosed footwear and shirts or singlets must be worn at all times in the gym.
- No food or drink (excluding bottled water or sports drink) is to be consumed inside the gym.
- Alcohol and intoxication are not permitted inside the gym.
- When using the gym, all emergency exits and fire extinguishers must remain unrestricted.
- All incidents or safety hazards or any other issue with the gym must be reported to the gym supervisor on duty.
- Members must seek instruction on how to use equipment correctly prior to use.
- Members must all equipment is to be returned to where it came from and the area must be left in a clean state.
- Unauthorised entry is not permitted. Unauthorised entry includes but is not limited to: sharing passes, allowing a non-member unpaid entry, entry by emergency exits, and use of invalid or expired membership cards.
- Members must at all times respect other Charles Sturt University gym members, guests and staff and
 must not engage in conduct that disturbs, detracts or impairs any other person's experience.
 Inappropriate behaviour including but not limited to offensive language, threatening, intimidating or
 violent behaviour or harassment of any form, or the use of illegal or performance enhancing drugs is
 prohibited. Offenders will be asked to leave the gym and membership may be terminated. This will be at
 the sole discretion of Charles Sturt University.





- Abuse of, or damage to any property or equipment will not be tolerated and offenders may be asked to leave the gym and membership may be terminated. This will be at the sole discretion of Charles Sturt University.
- Members must pay for any loss or damage to equipment at the gym caused by them.
- Any member caught stealing will have their membership terminated without refund, will not be allowed back to the gym, and will be referred to the appropriate authorities.
- Members under the age of 16 must be accompanied by an adult at all times unless otherwise agreed with gym staff.
- If members wish to borrow equipment, it must be logged by the gym supervisor on duty and returned after the agreed upon time.

Risk and liability

- Charles Sturt University accepts no responsibility for lost or stolen belongings.
- Each member acknowledges and accepts the inherent risks in using the gym (including but not limited to using fitness equipment and undertaking any exercise program or activity). These risks include personal injury or death. Personal injury includes but is not limited to broken bones, soft tissue injuries, joint injuries, concussion, or permanent disability. Each member acknowledges these risks arise not just from their own actions but also the actions, omissions or negligence of others.
- Each member represents to the best of their knowledge they have no conditions or injuries which may be
 aggravated by their use of the gym that may affect their ability to participate safely; and that they are
 capable of meeting required experience and ability levels relevant to their use of any equipment, or
 attendance at any program or activity at the gym.
- Each member agrees they are using the gym at their own risk and are responsible for their own health and safety.
- Each member indemnifies and releases Charles Sturt University from any claim arising as a result of the member's use of the gym or any advice given by Charles Sturt University gym staff.

Cooling Off

Members may cancel their membership any time before close of business on the seventh (7th) day following the date of this application. For security and identification purposes, cancellation must be completed inperson at the gym. If a membership is cancelled, Charles Sturt University will refund to the member all fees already paid.

Privacy statement

The personal information provided in this application is managed in accordance with the *Privacy and Personal Information Protection Act* 1998 and Charles Sturt University's <u>Privacy Management Plan</u>. The information will be used by authorised staff for the purpose for which it was collected and will be protected against unauthorised access and use.

Emergency

In the event of an emergency members agree that Charles Sturt University staff may pass on the member's personal information contained in this application to the emergency service staff.





D		-4:	
Dec	ıar	atio	าท

Signature of member (if under 16, must be the member's parent/carer/guardia	n):
I understand and accept the conditions of this gym membership application.	
Declaration	



ADULT PRE-EXERCISE SCREENING SYSTEM (APSS)



This screening tool is part of the <u>Adult Pre-Exercise Screening System (APSS)</u> that also includes guidelines (<u>see User Guide</u>) on how to use the information collected and to address the aims of each stage. No warranty of safety should result from its use. The screening system in no way guarantees against injury or death. No responsibility or liability whatsoever can be accepted by Exercise & Sport Science Australia, Fitness Australia, Sports Medicine Australia or Exercise is Medicine for any loss, damage, or injury that may arise from any person acting on any statement or information contained in this system.

Date of Birth:	Male	: Female	: Other:		
STAGE 1 (COMPULSOR)	()				
AIM: To identify individuals with kn adverse event due to exercis exercise session, resulting in	e. An adverse event i	refers to an unexp	ected event that occ		
This stage may be self-admin the figures on page 2. Should for clarification.		ons about the scre		ontact your exercise	professional
Has your medical practitioner ever told suffered a stroke?	you that you have a h			YES	NO
Do you ever experience unexplained pa activity/exercise?	ins or discomfort in yo	our chest at rest or o	during physical		
3. Do you ever feel faint, dizzy or lose ba	alance during physic	al activity/exercis	e?		
4. Have you had an asthma attack requi last 12 months?	iring immediate med	ical attention at a	ny time over the		
5. If you have diabetes (type 1 or 2) have in the last 3 months?	e you had trouble co	ntrolling your bloc	d sugar (glucose)		
6. Do you have any other conditions tha	t may require specia	ıl consideration fo	r you to exercise?		
IF YOU ANSWERED 'YES' to any of the allied health professional or medical p					
IF YOU ANSWERED 'NO' to all of the 6 quexercise per week.	estions, please proce	ed to question 7 and	d calculate your typic	al weighted physical a	activity/
7. Describe your current physical activity by stating the frequency and duration For intensity guidelines consult figure	at the different intens		Weighted physic	al activity/exercise	per week
Intensity Ligh	nt Moderate	Vigorous/High		ninutes of light + mod	
Frequency (number of sessions per week)			(2	x minutes of vigorou	s/high)
Duration (total minutes per week)			TOTAL =	minutes per we	ek
 If your total is less than 150 minutes per week then light to moderate intensity exercise is recommended. Increase your volume and intensity slowly. If your total is more than or equal to 150 minutes per week then continue with your current physical activity/exercise intensity levels. 					
It is advised that you discuss any progre					
I believe that to the best of my knowledg					750. 7500.05.
				ing tool is correct.	
Client signature:	Date	:			









Full Name:

FIGURE 1: Stage 1 Screening Steps




FIGURE 2: Exercise Intensity Guidelines

INTENSITY CATEGORY	HEART RATE MEASURES	PERCEIVED EXERTION MEASURES	DESCRIPTIVE MEASURES
LIGHT	40 to <55% HRmax	* VERY LIGHT TO LIGHT RPE# 1-2	• An aerobic activity that does not cause a noticeable change in breathing rate • An intensity that can be sustained for at least 60 minutes
MODERATE	55 to <70% HRmax	* MODERATE TO SOMEWHAT HARD RPE# 3-4	 An aerobic activity that is able to be conducted whilst maintaining a conversation uninterrupted An intensity that may last between 30 and 60 minutes
VIGOROUS	70 to <90% HRmax	* HARD RPE# 5-6	An aerobic activity in which a conversation generally cannot be maintained uninterrupted An intensity that may last up to 30 minutes
HIGH	≥ 90% HRmax*	VERY HARD RPE# 7	 An aerobic activity in which it is difficult to talk at all An intensity that generally cannot be sustained for longer than about 10 minutes

^{*} HRmax = estimated heart rate maximum. Calculated by subtracting age in years from 220 (e.g. for a 50 year old person = 220 - 50 = 170 beats per minute).

ADULT PRE-EXERCISE SCREENING SYSTEM (APSS) V2 (2019)

Modified from Norton K, L. Norton & D. Sadgrove. (2010). Position statement on physical activity and exercise intensity terminology. J Sci Med Sport 13, 496-502.







^{# =} Borg's Rating of Perceived Exertion (RPE) scale, category scale 0-10.

STAGE 2 (RECOMMENDED)



AIM:

This stage is to be completed with an exercise professional to determine appropriate exercise prescription based on established risk factors.

CLIENT DETAILS	GUIDELINES FOR ASSESSING RISK
8. Demographics Age:	Risk of an adverse event increases with age, particularly males \geq 45 yr and females \geq 55 yr.
Male Female Other	
9. Family history of heart disease (e.g. stroke, heart attack)? Relationship (e.g. father) Age at heart disease event	A family history of heart disease refers to an event that occurs in relatives including parents, grandparents, uncles and/or aunts before the age of 55 years.
10. Do you smoke cigarettes on a daily or weekly basis or have you quit smoking in the last 6 months? Yes No If currently smoking, how many per day or week?	Smoking, even on a weekly basis, substantially increases risk for premature death and disability. The negative effects are still present up to at least 6 months post quitting.
11. Body composition	Any of the below increases the risk of chronic diseases:
Weight (kg) Height (cm)	BMI ≥ 30 kg/m ²
Body Mass Index (kg/m²) Waist circumference (cm)	Waist > 94 cm male or > 80 cm female
12. Have you been told that you have high blood pressure?	Either of the below increases the risk of heart disease:
Yes No If known, systolic/diastolic (mmHg)	Systolic blood pressure ≥ 140 mmHg Diastolic blood pressure ≥ 90 mmHg
	Diastolic blood pressure 2 30 militing
Are you taking any medication for this condition?	
Yes No	
If yes, provide details	
13. Have you been told that you have high cholesterol/	Any of the below increases the risk of heart disease:
blood lipids? Yes No	Total cholesterol ≥ 5.2 mmol/L
If known:	HDL < 1.0 mmol/L
Total cholesterol (mmol/L) HDL (mmol/L)	LDL ≥ 3.4 mmol/L
LDL (mmol/L) Triglycerides (mmol/L)	Triglycerides ≥ 1.7 mmol/L
Are you taking any medication for this condition?	
Yes No	
If yes, provide details	





CLIENT DETAILS	GUIDELINES FOR ASSESSING RISK
14. Have you been told that you have high blood sugar (glucose)?	Fasting blood sugar (glucose) ≥ 5.5 mmol/L increases the risk of diabetes.
Yes No	
If known: Fasting blood glucose (mmol/L)	
Are you taking any medication for this condition?	
Yes No	
If yes, provide details	
15. Are you currently taking prescribed medication(s) for any condition(s)? These are additional to those already provided.	Taking medication indicates a medically diagnosed problem. Judgment is required when taking medication information into account for determining appropriate exercise prescription because it is common for clients to list
Yes No	'medications' that include contraceptive pills, vitamin supplements and other non-pharmaceutical tablets. Exercise professionals are not expected to have an exhaustive understanding of medications. Therefore, it may be important
If yes, what are the medical conditions?	an exhaustive understanding of medications. Therefore, it may be important to use common language to describe what medical conditions the drugs are prescribed for.
16. Have you spent time in hospital (including day admission) for any condition/illness/injury during the last 12 months?	There are positive relationships between illness rates and death versus the number and length of hospital admissions in the previous 12 months. This includes admissions for heart disease, lung disease (e.g., Chronic Obstructive
Yes No	Pulmonary Disease (COPD) and asthma), dementia, hip fractures, infectious episodes and inflammatory bowel disease. Admissions are also correlated to
If yes, provide details	'poor health' status and negative health behaviours such as smoking, alcohol consumption and poor diet patterns.
17. Are you pregnant or have you given birth within the last 12 months?	During pregnancy and after recent childbirth are times to be more cautious with exercise. Appropriate exercise prescription results in improved health to mother and baby. However, joints gradually loosen to prepare for birth
Yes No	and may lead to an increased risk of injury especially in the pelvic joints. Activities involving jumping, frequent changes of direction and excessive
If yes, provide details	stretching should be avoided, as should jerky ballistic movements. Guidelines/fact sheets can be found here: 1) www.exerciseismedicine.com.au 2) www.fitness.org.au/Pre-and-Post-Natal-Exercise-Guidelines
	,
Do you have any diagnosed muscle, bone, tendon, ligament or joint problems that you have been told could be made worse by participating in exercise?	Almost everyone has experienced some level of soreness following unaccustomed exercise or activity but this is not really what this question is designed to identify. Soreness due to unaccustomed activity is not the same as pain in the joint, muscle or bone. Pain is more extreme and may represent an injury, serious inflammatory episode or infection. If it is an acute injury
Yes No	then it is possible that further medical guidance may be required.
If yes, provide details	
	<u> </u>

Important Information: This screening tool is part of the Adult Pre-Exercise Screening System ('APSS') and should be read with the APSS guidelines (see User Guide) on how to use the information collected and to address the aims of each stage. This does not constitute medical advice. This form, the guidelines and the APSS (together 'the material') is not intended for use to diagnose, treat, cure or prevent any medical conditions, is not intended to be professional advice and is not a substitute for independent health professional advice. Exercise & Sports Science Australia, Fitness Australia, Sports Medicine Australia and Exercise is Medicine (together 'the organisations') do not accept liability for any claims, howsoever described, for loss, damage and/or injury in connection with the use of any of the material, or any reliance on the information therein. While care has been taken to ensure the information contained in the material is accurate at the date of publication, the organisations do not warrant its accuracy. No warranties (including but not limited to warranties as to safety) and no guarantees against injury or death are given by the organisations in connection with the use or reliance on the material. If you intend to take any action or inaction based on this form, the guidelines and/or the APSS, it is recommended that you obtain your own professional advice based on your specific circumstances.





